

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S43	0	704/1.ccls. and @ad<"20070707" and (relation\$6 and (concept \$4) and extract\$4 and (classif\$4 categor\$6 cluster\$4 group\$4) and (meaning\$4 concept\$4 samentic\$4 sense\$4) same (frequenc\$4 hits occurrences appearances) and label \$4 and (clause subsentance sub-sentence) and pair and syntactic adj2 (pattern tree) and ("kew word" "kew words" keyword key-word)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:24
S44	0	704/10.ccls. and @ad<"20070707" and (relation\$6 and (concept \$4) and extract\$4 and (classif\$4 categor\$6 cluster\$4 group\$4) and (meaning\$4 concept\$4 samentic\$4 sense\$4) same (frequenc\$4 hits occurrences appearances) and label \$4 and (clause subsentance sub-sentence) and pair and syntactic adj2 (pattern tree) and ("kew word" "kew words" keyword key-word)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:24

S45	0	707/5.ccls. and @ad<"20070707" and (relation\$6 and (concept \$4) and extract\$4 and (classif\$4 categor\$6 cluster\$4 group\$4) and (meaning\$4 concept\$4 samentic\$4 sense\$4) same (frequenc\$4 hits occurrences appearances) and label \$4 and (clause subsentance sub- sentence) and pair and syntactic adj2 (pattern tree) and ("kew word" "kew words" keyword key-word)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:25
S46	0	706/12.ccls. and @ad<"20070707" and (relation\$6 and (concept \$4) and extract\$4 and (classif\$4 categor\$6 cluster\$4 group\$4) and (meaning\$4 concept\$4 samentic\$4 sense\$4) same (frequenc\$4 hits occurrences appearances) and label \$4 and (clause subsentance sub- sentence) and pair and syntactic adj2 (pattern tree) and ("kew word" "kew words" keyword key-word)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:33
S47	0	707/1.ccls. and @ad<"20070707" and (relation\$6 and (concept \$4) and extract\$4 and (classif\$4 categor\$6 cluster\$4 group\$4) and (meaning\$4 concept\$4 samentic\$4 sense\$4) same (frequenc\$4 hits occurrences appearances) and label \$4 and (clause subsentance sub- sentence) and pair and syntactic adj2 (pattern tree) and ("kew word" "kew words" keyword key-word)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:33

S48	0	707/1-5.ccls. and @ad<"20070707" and (relation\$6 and (concept\$4) and extract\$4 and (classif\$4 categor\$6 cluster\$4 group\$4) and (meaning\$4 concept\$4 samentic\$4 sense\$4) same (frequenc\$4 hits occurrences appearances) and label \$4 and (clause subsentance sub-sentence) and pair and syntactic adj2 (pattern tree) and ("kew word" "kew words" keyword key-word)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:33
S49	0	"707"/\$.ccls. and @ad<"20070707" and (relation\$6 and (concept\$4) and extract\$4 and (classif\$4 categor\$6 cluster\$4 group\$4) and (meaning\$4 concept\$4 samentic\$4 sense\$4) same (frequenc\$4 hits occurrences appearances) and label \$4 and (clause subsentance sub-sentence) and pair and syntactic adj2 (pattern tree) and ("kew word" "kew words" keyword key-word)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:34
S50	0	"704"/\$.ccls. and @ad<"20070707" and (relation\$6 and (concept\$4) and extract\$4 and (classif\$4 categor\$6 cluster\$4 group\$4) and (meaning\$4 concept\$4 samentic\$4 sense\$4) same (frequenc\$4 hits occurrences appearances) and label \$4 and (clause subsentance sub-sentence) and pair and syntactic adj2 (pattern tree) and ("kew word" "kew words" keyword key-word)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:34

S51	0	@ad<"20070707" and (relation\$6 and (concept\$4) and extract\$4 and (classif\$4 categor\$6 cluster\$4 group\$4) and (meaning\$4 concept\$4 samentic\$4 sense\$4) same (frequenc\$4 hits occurrences appearances) and label\$4 and (clause subsentance sub-sentence) and pair and syntactic adj2 (pattern tree) and ("kew word" "kew words" keyword key-word)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:34
S52	0	704/9.ccls. and @ad<"20070707" and (relation\$6 and (concept\$4) and extract\$4 and (classif\$4 categor\$6 cluster\$4 group\$4) and (meaning\$4 concept\$4 samentic\$4 sense\$4) same (frequenc\$4 hits occurrences appearances) and label\$4 and (clause subsentance sub-sentence) and pair and syntactic adj2 (pattern tree) and ("kew word" "kew words" keyword key-word)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:35
S53	3	704/9.ccls. and @ad<"20070707" and (relation\$6 and (concept\$4) and extract\$4 and (classif\$4 categor\$6 cluster\$4 group\$4) and (meaning\$4 concept\$4 samentic\$4 sense\$4) same (frequenc\$4 hits occurrences appearances) and label\$4 and (clause subsentance sub-sentence) and pair and syntactic adj2 (pattern tree) and ("kew word" "kew words" keyword key-word))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:35

S54	0	704/1.ccls. and @ad<"20070707" and (relation\$6 and (concept \$4) and extract\$4 and (classif\$4 categor\$6 cluster\$4 group\$4) and (meaning\$4 concept\$4 samentic\$4 sense\$4) same (frequenc\$4 hits occurrences appearances) and label \$4 and (clause subsentance sub- sentence) and pair and syntactic adj2 (pattern tree) and ("kew word" "kew words" keyword key-word))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:35
S55	0	704/10.ccls. and @ad<"20070707" and (relation\$6 and (concept \$4) and extract\$4 and (classif\$4 categor\$6 cluster\$4 group\$4) and (meaning\$4 concept\$4 samentic\$4 sense\$4) same (frequenc\$4 hits occurrences appearances) and label \$4 and (clause subsentance sub- sentence) and pair and syntactic adj2 (pattern tree) and ("kew word" "kew words" keyword key-word))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:36
S56	0	704/9.ccls. and @ad<"20070707" and (relation\$6 and (concept \$4) and extract\$4 and (classif\$4 categor\$6 cluster\$4 group\$4) and (meaning\$4 concept\$4 samentic\$4 sense\$4) same (frequenc\$4 hits occurrences appearances) and label \$4 and (clause subsentance sub- sentence) same pair and syntactic adj2 (pattern tree) and ("kew word" "kew words" keyword key-word))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:36

S57	0	704/1.ccls. and @ad<"20070707" and (relation\$6 and (concept \$4) and extract\$4 and (classif\$4 categor\$6 cluster\$4 group\$4) and (meaning\$4 concept\$4 samentic\$4 sense\$4) same (frequenc\$4 hits occurrences appearances) and label \$4 and (clause subsentance sub- sentence) same pair and syntactic adj2 (pattern tree) and ("kew word" "kew words" keyword key-word))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:37
S58	0	704/10.ccls. and @ad<"20070707" and (relation\$6 and (concept \$4) and extract\$4 and (classif\$4 categor\$6 cluster\$4 group\$4) and (meaning\$4 concept\$4 samentic\$4 sense\$4) same (frequenc\$4 hits occurrences appearances) and label \$4 and (clause subsentance sub- sentence) same pair and syntactic adj2 (pattern tree) and ("kew word" "kew words" keyword key-word))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:37
S59	0	707/1.ccls. and @ad<"20070707" and (relation\$6 and (concept \$4) and extract\$4 and (classif\$4 categor\$6 cluster\$4 group\$4) and (meaning\$4 concept\$4 samentic\$4 sense\$4) same (frequenc\$4 hits occurrences appearances) and label \$4 and (clause subsentance sub- sentence) same pair and syntactic adj2 (pattern tree) and ("kew word" "kew words" keyword key-word))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:37

S60	0	707/5.ccls. and @ad<"20070707" and (relation\$6 and (concept \$4) and extract\$4 and (classif\$4 categor\$6 cluster\$4 group\$4) and (meaning\$4 concept\$4 samentic\$4 sense\$4) same (frequenc\$4 hits occurrences appearances) and label \$4 and (clause subsentance sub- sentence) same pair and syntactic adj2 (pattern tree) and ("kew word" "kew words" keyword key-word))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:37
S61	0	706/12.ccls. and @ad<"20070707" and (relation\$6 and (concept \$4) and extract\$4 and (classif\$4 categor\$6 cluster\$4 group\$4) and (meaning\$4 concept\$4 samentic\$4 sense\$4) same (frequenc\$4 hits occurrences appearances) and label \$4 and (clause subsentance sub- sentence) same pair and syntactic adj2 (pattern tree) and ("kew word" "kew words" keyword key-word))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:38
S62	0	"704"/\$.ccls. and @ad<"20070707" and (relation\$6 and (concept \$4) and extract\$4 and (classif\$4 categor\$6 cluster\$4 group\$4) and (meaning\$4 concept\$4 samentic\$4 sense\$4) same (frequenc\$4 hits occurrences appearances) and label \$4 and (clause subsentance sub- sentence) same pair and syntactic adj2 (pattern tree) and ("kew word" "kew words" keyword key-word))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:38

S63	0	"707"/\$.ccls. and @ad<"20070707" and (relation\$6 and (concept \$4) and extract\$4 and (classif\$4 categor\$6 cluster\$4 group\$4) and (meaning\$4 concept\$4 samentic\$4 sense\$4) same (frequenc\$4 hits occurrences appearances) and label \$4 and (clause subsentance sub- sentence) same pair and syntactic adj2 (pattern tree) and ("kew word" "kew words" keyword key-word))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:38
S64	0	"706"/\$.ccls. and @ad<"20070707" and (relation\$6 and (concept \$4) and extract\$4 and (classif\$4 categor\$6 cluster\$4 group\$4) and (meaning\$4 concept\$4 samentic\$4 sense\$4) same (frequenc\$4 hits occurrences appearances) and label \$4 and (clause subsentance sub- sentence) same pair and syntactic adj2 (pattern tree) and ("kew word" "kew words" keyword key-word))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:38
S65	0	@ad<"20070707" and (relation\$6 and (concept \$4) and extract\$4 and (classif\$4 categor\$6 cluster\$4 group\$4) and (meaning\$4 concept\$4 samentic\$4 sense\$4) same (frequenc\$4 hits occurrences appearances) and label \$4 and (clause subsentance sub- sentence) same pair and syntactic adj2 (pattern tree) and ("kew word" "kew words" keyword key-word))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:38

S66	4	nagano-tohru.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:43
S67	21	nasukawa-tetsuya.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/23 16:44
S68	10	nasukawa-tetsuya.in.	US-PGPUB; USPAT	OR	ON	2008/09/23 16:47

9/ 23/ 2008 4:50:56 PM

C:\ Documents and Settings\ qhan\ My Documents\ EAST\ Workspaces\ 09612136-xfer.wsp